

INSTRUCTIONS:

The purpose of this questionnaire is to identify difficulties that you may be experiencing. Please answer every question, do not skip any questions. Follow the 0 to 4 key, and select which best fits for all of your answers.

KEY:

- 0 = I never have symptoms (0% of the time)
- 1 = I rarely have symptoms (Less than 25% of the time)
- 2 = I often have symptoms (Half of the time)

Frontal Lobe Precentral and

perception

- 3 = 1 frequently have symptoms (75% of the time)
- 4 = I always have symptoms (100% of the time)

DATE:

Dor	ntal lobe Prefrontal, solateral and Orbitofrontal eas 9, 10, 11, and 12)	0	1	2	3	4
1.	Difficulty with restraint and controlling impulses or desires					
2.	Emotional instability (lability)					
3.	Difficulty planning and organizing					
4.	Difficulty making decisions					
5.	Lack of motivation, enthusiasm, interest and drive (apathetic)					
6.	Difficulty getting a sound or melody out of your thoughts (Perseveration)					
7.	Constantly repeat events or thoughts with difficulty letting go					
8.	Difficulty initiating and finishing tasks					
9.	Episodes of depression					
10.	Mental fatigue					
11.	Decrease in attention span					
12.	Difficulty staying focused and concentrating for extended periods of time					
13.	Difficulty with creativity, imagination, and intuition					
14.	Difficulty in appreciating art and music					
15.	Difficulty with analytical thought L					
16.	Difficulty with math, number skills and time consciousness					
17.	Difficulty taking ideas, actions, and words and putting them in a linear sequence					

	plementary or Areas (Area 4 and 6)	0	1	2	3	4
18.	Initiating movements with your arm or leg has become more difficult					
19.	Feeling of arm or leg heaviness, especially when tired					
20.	Increased muscle tightness in your arm or leg					
21.	Reduced muscle endurance in your arm or leg					
22.	Noticeable difference in your muscle function or strength from one side to the other					
23.	Noticeable difference in your muscle tightness from one side to the other					
	ntal Lobe Broca's Motor Speech a (Area 44 and 45)	0	1	2	3	4
24.	Difficulty producing words verbally, especially when fatigued					
25.	Find the actual act of speaking difficult at times					
26.	Notice word pronunciation and speaking fluency change at times					
and	etal Somatosensory Area Parietal Superior Lobule eas 3,1,2 and 7)	0	1	2	3	4
27.	Difficulty in perception of position of limbs					
28.	Difficulty with spatial awareness when moving, laying back in a chair, or leaning against a wall					
29.	Frequently bumping body or limbs into the wall or objects accidently					
30.	Reoccurring injury in the same body part or side of the body					
31.	Hypersensitivities to touch or pain					

NAME:



INSTRUCTIONS:

The purpose of this questionnaire is to identify difficulties that you may be experiencing. Please answer every question, do not skip any questions. Follow the 0 to 4 key, and select which best fits for all of your answers.

	etal Inferior Lobule a 39 and 40)		0	1	2	3	4
32.	Right/left confusion	L					
33.	Difficulty with math calculations	L					
34.	Difficulty finding words	L					
35.	Difficulty with writing	L					
36.	Difficulty recognizing symbols or shapes	R					
37.	Difficulty with simple drawings	R					
38.	Difficulty interpreting maps	R					
	nporal Lobe Auditory Cortex eas 41, 42)		0	1	2	3	4
39.	Reduced function in overall hearing						
40.	Difficulty interpreting speech with background or scatter noise	ſ					
41.	Difficulty comprehending langua without perfect pronunciation	ge					
42.	Need to look at someone's mouth when they are speaking to understand what they are saying						
43.	Difficulty in localizing sound						
44.	Dislike of left predictable rhythmi repeated tempo and beat music						
45.	Dislike of non-predictable rhythm with multiple instruments	nic R					
46.	Noticeable ear preference when using your phone			ght pref			
	nporal Lobe Auditory Association tex (Area 22)		0	1	2	3	4
47.	Difficulty comprehending meanir of spoken word	ng L					
48.	Tend toward monotone speech without fluctuations or emotions	R					

KEY:

- 0 = I never have symptoms (0% of the time)
- 1 = I rarely have symptoms (Less than 25% of the time)
- 2 = I often have symptoms (Half of the time)
- 3 = I frequently have symptoms (75% of the time)
- 4 = I always have symptoms (100% of the time)

	dial Temporal lobe and Docampus	0	1	2	3	4
49.	Memory less efficient					
50.	Memory loss that impacts daily activities					
51.	Confusion about dates, the passage of time, or place					
52.	Difficulty remembering events					
53.	Misplacement of things and difficulty retracing steps					
54.	Difficulty with memory of locations (addresses)					
55.	Difficulty with visual memory R					
56.	Always forgetting where you put items such as keys, wallet, phone, etc.					
57.	Difficulty remembering faces R					
58.	Difficulty remembering names with faces					
59.	Difficulty with remembering words					
60.	Difficulty remembering numbers L					
61.	Difficulty remembering to stay or be on time					
	sipital Lobe ea, 17, 18, and 19)	0	1	2	3	4
62.	Difficulty in discriminating similar shades of color					
63.	Dullness of colors in visual field					
64.	Difficulty coordinating visual inputs and hand movements, resulting in an inability to efficiently reach out for objects					
66.	Floater or halos in visual field					



Brain Region Localization Form

INSTRUCTIONS:

The purpose of this questionnaire is to identify difficulties that you may be experiencing. Please answer every question, do not skip any questions. Follow the 0 to 4 key, and select which best fits for all of your answers.

Cer	ebellum - Spinocerebellum	0	1	2	3	4
67.	Difficulty with balance, or balance that is worse on one side					
68.	A need to hold the handrail or watch each step carefully when going down stairs					
69.	Feeling unsteady and prone to falling in the dark					
70.	Proness to sway to one side when walking or standing					
Cer	ebellum - Cerebrocerebellum	0	1	2	3	4
71.	Recent clumsiness in hands					
72.	Recent clumsiness in feet or frequent tripping					
73.	A slight hand shake when reaching for something at the end of movement					
Cer	ebellum - Vestibulocerebellum	0	1	2	3	4
74.	Episodes of dizziness or disorientation					
75.	Back muscles that tire quickly when standing or walking					
76.	Chronic neck or back muscle tightness					
77.	Nausea, car sickness, or sea sickness					
78.	Feeling of disorientation or shifting of the environment					
79.	Crowded places cause anxiety					
Bas	al Ganglia Direct Pathway	0	1	2	3	4
80.	Slowness in movements					
81.	Stiffness in your muscles (not joints) that goes away when you move					

KEY:

- 0 = I never have symptoms (0% of the time)
- 1 = I rarely have symptoms (Less than 25% of the time)
- 2 = I often have symptoms (Half of the time)
- 3 = 1 frequently have symptoms (75% of the time)
- 4 = I always have symptoms (100% of the time)

82. Cramping of hands when writing I			<u> </u>				
84.Voice has become softerIIIII85.Facial expression changed leading people to frequently ask if you are upset or angry0123486.Uncontrollable muscle movementsIIIIIII87.Intense need to clear your throat regularly or contract a group of musclesIIIIII89.Obsessive compulsive tendenciesIIIIIIII90.Dry mouth or eyesIIIIIIIII90.Dry mouth or eyesIIIIIIII91.Difficulty swallowing supplements or large bites of foodIIIIIII92.Slow bowel movements and tendency for constipationIIIIIII93.Chronic digestive complaintsIIIIIIIII94.Bowel or bladder incontinence resulting in staining your underwearIII	82.	Cramping of hands when writing					
Notice frequently ask if you are upset or angry0123485.Facial expression changed leading people to frequently ask if you are upset or angry0123486.Uncontrollable muscle movements0123487.Intense need to clear your throat regularly or contract a group of muscles0123488.Obsessive compulsive tendencies0123489.Constant nervousness and restless mind0123490.Dry mouth or eyes0123491.Difficulty swallowing supplements or large bites of food1123492.Slow bowel movements and tendency for constipation1123493.Chronic digestive complaints1123494.Bowel or bladder incontinence resulting in staining your underwear0123495.Tendency for anxiety0123496.Easily startled111111198.Sensitive to bright or flashing lights11111199.Episodes of racing heart111111199.Episodes of racing heart111111199.<	83.	A stooped posture when walking					
people to frequently ask if you are upset or angryII <thi< th="">II<t< td=""><td>84.</td><td>Voice has become softer</td><td></td><td></td><td></td><td></td><td></td></t<></thi<>	84.	Voice has become softer					
86.Uncontrollable muscle movementsIIIII87.Intense need to clear your throat regularly or contract a group of musclesIIIII88.Obsessive compulsive tendenciesIIIIIII89.Constant nervousness and restless mindIIIIIIII90.Dry mouth or eyesIIIIIIIIII91.Difficulty swallowing supplements or large bites of foodIIIIIIIII92.Slow bowel movements and tendency for constipationIIIIIIIII93.Chronic digestive complaintsIIIIIIIIII94.Bowel or bladder incontinence resulting in staining your underwearII	85.	people to frequently ask if you are					
87.Intense need to clear your throat regularly or contract a group of musclesIIII88.Obsessive compulsive tendenciesIIIII89.Constant nervousness and restless mindIIIIII90.Dry mouth or eyesIIIIIII91.Difficulty swallowing supplements or large bites of foodIIIIII92.Slow bowel movements and tendency for constipationIIIIII93.Chronic digestive complaintsIIIIIII94.Bowel or bladder incontinence resulting in staining your underwearIIIIII95.Tendency for anxietyIIIIIIII96.Easily startledIIIIIIII97.Difficulty relaxingIIIIIII98.Sensitive to bright or flashing lightsIIIIIII99.Episodes of racing heartIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII <t< td=""><td>Bas</td><td>al Ganglia Indirect Pathway</td><td>0</td><td>1</td><td>2</td><td>3</td><td>4</td></t<>	Bas	al Ganglia Indirect Pathway	0	1	2	3	4
regularly or contract a group of musclesIIIII88.Obsessive compulsive tendenciesIIIII89.Constant nervousness and restless mind0IIIIIAutonic Reduced Parasympathetic Activity0IIIIIII90.Dry mouth or eyesIIIIIIIIII91.Difficulty swallowing supplements or large bites of foodIII <td>86.</td> <td>Uncontrollable muscle movements</td> <td></td> <td></td> <td></td> <td></td> <td></td>	86.	Uncontrollable muscle movements					
89.Constant nervousness and restless mindIIIIIAutonomic Reduced Parasympathetic Activity0123490.Dry mouth or eyesIII23491.Difficulty swallowing supplements or large bites of foodIIIII92.Slow bowel movements and tendency for constipationIIIIII93.Chronic digestive complaintsIIIIIII94.Bowel or bladder incontinence resulting in staining your underwear01IIII95.Tendency for anxietyIIIIIII96.Easily startledIIIIIII97.Difficulty relaxingIIIIIII98.Sensitive to bright or flashing lightsIIIIIII99.Episodes of racing heartIIIIIIII	87.	regularly or contract a group of					
restless mindIII <t< td=""><td>88.</td><td>Obsessive compulsive tendencies</td><td></td><td></td><td></td><td></td><td></td></t<>	88.	Obsessive compulsive tendencies					
Parasympathetic Activity0123490.Dry mouth or eyesIIIIII91.Difficulty swallowing supplements or large bites of foodIIIII92.Slow bowel movements and tendency for constipationIIIIII93.Chronic digestive complaintsIIIIIII94.Bowel or bladder incontinence resulting in staining your underwearIIIIII95.Tendency for anxietyIIIIIIII96.Easily startledIIIIIIII97.Difficulty relaxingIIIIIIII98.Sensitive to bright or flashing lightsIIIIIII99.Episodes of racing heartIIIIIII	89.						
91.Difficulty swallowing supplements or large bites of foodIIII92.Slow bowel movements and tendency for constipationIIIII93.Chronic digestive complaintsIIIIII94.Bowel or bladder incontinence resulting in staining your underwearIIIIII94.Bowel or bladder incontinence resulting in staining your underwearIIIIII95.Tendency for anxietyIIIIIIII96.Easily startledIIIIIII97.Difficulty relaxingIIIIIII98.Sensitive to bright or flashing lightsIIIIII99.Episodes of racing heart <tdi< td="">III<tdi< td=""><tdi< td=""></tdi<></tdi<></tdi<>			0	1	2	3	4
or large bites of foodIIIII92.Slow bowel movements and tendency for constipationIIIII93.Chronic digestive complaintsIIIIII94.Bowel or bladder incontinence resulting in staining your underwearIIIIII94.Bowel or bladder incontinence resulting in staining your underwearIIIIIII95.Tendency for anxietyIIIIIIIII96.Easily startledIIIIIIIII97.Difficulty relaxingIIIIIIIII98.Sensitive to bright or flashing lightsIIIIIIII99.Episodes of racing heart <tdi< td="">IIIIIIII</tdi<>	90.	Dry mouth or eyes					
tendency for constipationIIIII93.Chronic digestive complaintsIIIII94.Bowel or bladder incontinence resulting in staining your underwearIIIIIAutonomic Increased Sympathetic ActivityIIIIIII95.Tendency for anxietyIIIIIII96.Easily startledIIIIIII97.Difficulty relaxingIIIIII98.Sensitive to bright or flashing lightsIIIII99.Episodes of racing heartIIIIII	91.						
94.Bowel or bladder incontinence resulting in staining your underwear11234Autonomic Increased Sympathetic Activity0123495.Tendency for anxiety0123496.Easily startled1111197.Difficulty relaxing1111198.Sensitive to bright or flashing lights111199.Episodes of racing heart1111	92.						
resulting in staining your underwearIIIIAutonomic Increased Sympathetic Activity0123495.Tendency for anxietyIIIIIII96.Easily startledIIIIIIII97.Difficulty relaxingIIIIIIII98.Sensitive to bright or flashing lightsIIIIII99.Episodes of racing heartIIIIII	93.	Chronic digestive complaints					
Sympathetic Activity0123495.Tendency for anxietyIIIII96.Easily startledIIIII97.Difficulty relaxingIIIII98.Sensitive to bright or flashing lightsIIII99.Episodes of racing heartIIII	94.	resulting in staining your					
96.Easily startledImage: Constraint of the start			0	1	2	3	4
97.Difficulty relaxingImage: Constraint of the second secon	95.	Tendency for anxiety					
98.Sensitive to bright or flashing lightsImage: Comparison of the sense of	96.	Easily startled					
99. Episodes of racing heart	97.	Difficulty relaxing					
	98.	Sensitive to bright or flashing lights					
100. Difficulty sleeping	99.	Episodes of racing heart					
	100.	Difficulty sleeping					